

Quick Search

Go

[Search History](#)

Results list

Previous

29 of 57

Next


Journal of the Geological Society of India

Volume 70, Issue 2, August 2007, Pages 323-338

Basic Format

Extended Format

Document Type: Article

[View references](#) (26)**Signal durations and local richter magnitudes in Northeast India: An empirical approach**[Sitaram, M.V.D.](#), [Bora, P.K.](#)

Geoscience Division, Regional Research Laboratory, Jorhat - 785 006 Assam, India

Abstract

Twenty four analog seismic stations are operated by the Regional Research Laboratory (Jorhat), National Geophysical Research Institute (Hyderabad) and by the India Meteorological Department (IMD) in the Northeastern region (NER) of India. 8000 seismograms of 1992 shallow (5-30km) earthquakes recorded by these stations during the period from January 1985 to December 1999, have been used to establish relationships between signal durations and the local Richter magnitudes (M_L). In order to obtain the empirical relations for the determination of duration magnitudes (M_D), signal duration estimates have been fitted using regression analysis to models of the form Model-I: $M_D = C_0 + C_1 \log_{10}(S.D) + C_2 \Delta + C_3 h$ Model-II: $M_D = C_0 + C_1 \log_{10}(S.D) + C_2 \Delta + C_3 h + C_4 [\log_{10}(S.D)]^2$, where S.D is the signal duration in seconds, Δ epicentral distance in degree and h focal depth in km. The models yielded duration magnitudes at each of the 24 stations having standard deviations as low as 0.07. For these stations, station factors are obtained by finding the average of the deviations of network magnitude (i.e. mean estimate of station magnitudes for each earthquake, denoted by $M_D(A)$) from station magnitudes (M_D) for the earthquake events in NER. Over - and under - estimations of station magnitudes with respect to M_L are also determined for each station. It has been observed that the estimates of $M_D(A)$ scatter up to about 0.8 units with respect to M_L for both the models. Application of these factors reduced scatter down to ± 0.25 units for both the models. © Geol. Soc. India.

Author Keywords**Cited By since 1996**

This article has been cited 0 times in Scopus.

Inform me when this document is cited in Scopus:

- [E-mail Alert](#)
- [RSS](#)

Find related documents

In Scopus based on




- [references](#)
- [authors](#)
- [keywords](#)

On the Web based on

- [title](#)
- [authors](#)
- [keywords](#)

Empirical relation; Local Richter magnitude; Northeastern India; Seismicity; Signal duration; Station factor

References (26) [view in table layout](#)

↙    Output Select: Page


1. BAKUN, H., W., LINDH, A.G.
Local magnitudes, seismic moments, and coda durations for earthquakes near Oroville, California
(1977) *Bull. Seism. Soc. Amer*, 67, pp. 615-629. [Cited 10 times](#).
2. BISZTRICSANY, E.
A new method for the determination of the magnitude of earthquakes. Geofiz. Kozl
(1958) , 7, pp. 69-96. [Cited 13 times](#).
in Hungarian with English abstract
[View on Web](#)
3. CROSSON, S., R.
Small earthquakes, structures and tectonics of the Puget Sound region
(1972) *Bull. Seism. Soc. Amer*, 62, pp. 1133-1177. [Cited 14 times](#).
4. DUBE, R.K., DATTATRAYAM, R.S., MATHURA SINGH and SRIVASTAVA, H.N. (1985) Seismicity of northeast India with reference to the Cachar earthquake of 1984, Internatl., Symp. Neotectonics in South Asia, Dehra Dun, pp. 1-8.
5. EATON JP, O'NEILL ME, MURDOCK JN
AFTERSHOCKS OF THE 1966 PARKFIELD-CHOLAME, CALIFORNIA, EARTHQUAKE. A DETAILED STUDY
(1970) *Bulletin of the Seismological Society of America*, 60 (4), pp. 1151-1197. [Cited 30 times](#).
[Abstract + Refs](#)
6. GUHA, K., S.
2003 Duration Magnitude determinations: Procedures and Practices. Personal Communication
7. GUPTA, H.K., RAMAKRISHNA RAO, C.V., RASTOGI, K., B., BHATIA, S.C.
An investigation of earthquakes in Koyna region, Maharashtra, for the period October 1973 through December 1976
(1980) *Bull. Seism. Soc. Amer*, 70, pp. 1833-1847. [Cited 11 times](#).
8. GUPTA, H.K., SINGH, S.C., DUTTA, K., T., SAIKIA, M.M.
Recent investigations of North-east India seismicity. Internatl
(1982) *Symp. on Continental Seismology and Earthquake Prediction*, pp. 63-71.
Beijing
9. HERRMANN, B., R.
The use of duration as a measure of seismic moment and magnitude
(1975) *Bull. Seism. Soc. Amer*, 65, pp. 899-913. [Cited 12 times](#).
10. Kayal, J.R., De, R.
Microseismicity and tectonics in northeast India
(1991) *Bulletin - Seismological Society of America*, 81 (1), pp.

131-138. [Cited 15 times.](#)

[Abstract + Refs](#)

11. Kiratzi, A.A., Papazachos, B.C.
Local Richter magnitude and total signal duration in Greece.
(1985) *Annales Geophysicae*, 3 (4), pp. 531-537. [Cited 6 times.](#)
[Abstract + Refs](#)
12. LEE, W.H.K., BENNET, R.E. and MEAGHER, K.L. (1972) A method of estimating magnitude of local earthquakes from signal duration. *Geol. Surv., Open - File Rep. (U.S.)* 28.
13. LIENERT, B.R., BERG, E., B., FRAZER, L.N.
Hypocenter: An earthquake location method using centered, scaled and adaptively damped least squares
(1986) *Bull. Seism. Soc. Amer*, 76, pp. 771-783. [Cited 52 times.](#)
14. Michaelson, C.A.
Coda duration magnitudes in central California: an empirical approach
(1990) *Bulletin - Seismological Society of America*, 80 (5), pp. 1190-1204. [Cited 5 times.](#)
[Abstract + Refs](#)
15. NAGMUNE, T., YOKOYAMA, Y. and SUGA, M. (1967) Attenuation of short period P - wave observed at relatively short epicentral distances inferred from unified magnitude determinations. *Geophys. Mag.*, v.33, pp.257-169.
16. RAO, K., C.V.R., GUPTA, H.K.
Estimation of earthquake magnitude from signal duration. Commemorative volume of Prof
(1979) *Mithal, M/s*
Hindustan Publ. Corp, Delhi
17. RAO, K., C.V.R., NAG, S.K.
Estimation of earthquake magnitudes from signal duration for the Shillong observatory
(1981) *Mausam*, 32, pp. 381-384.
18. REAL, R., C., TENG, T.L.
Local Richter Magnitude and Total Signal Duration in Southern California
(1973) *Bull. Seism. Soc. Amer*, 63, pp. 1809-1827. [Cited 17 times.](#)
19. RICHTER, F., C.
(1958) *Elementary Seismology.* [Cited 395 times.](#)
W. H. Freeman & Co, San Francisco, 768p
20. SIKRIKAR, M., S.
(1984) *Estimation of F-P magnitude for local earthquakes at Okutama seismological observatory, central Japan.*
Internatl, 20, pp. 69-82.
Inst. Seism. Earthq. Engg, v
21. SOLEV'EV, L., S.
Seismicity of Sakhalin
(1965) *Bull. Earthq. Res. Inst., Univ. Tokyo*, 43, pp. 95-102. [Cited 6 times.](#)
22. SPALLAROSSA, D., BINDI, D., AUGLIERA, P. and CATTANEO, M.
(2002) An M_L scale in Northwestern Italy, *Bull. Seism. Soc. Amer.*, v.92, pp.2205-2216.

23. SUTEAU, M., A., WHITCOMB, J.H.
A local earthquake coda magnitude and its relation to duration, moment M_0 , and local Richter magnitude M_L
(1979) *Bull. Seism. Soc. Amer*, 69, pp. 353-368. [Cited 4 times](#).
[View on Web](#)
24. TENG, T.L., REAL, R., C., HENYEY, T.L.
Microearthquakes and Water - Flooding in Los Angeles
(1973) *Bull. Seism. Soc. Amer*, 63, pp. 859-875. [Cited 5 times](#).
25. TSUBOI, C.
Energy accounts of earthquakes in and near Japan. Jour. Physics of Earth (Tokyo)
(1957) , 5, pp. 1-7.
26. TSUMURA, K.
Determination of earthquake magnitude from total duration of oscillation
(1967) *Bull. Earthq. Res. Inst., Univ. Tokyo*, 45, pp. 7-18. [Cited 16 times](#).

 Sitaram, M.V.D.; Geoscience Division, **Regional Research Laboratory, Jorhat** - 785 006 Assam, India;
email: mvdSitaram@yahoo.co.in
© Copyright 2008 Elsevier B.V., All rights reserved.

[Journal of the Geological Society of India](#)

Volume 70, Issue 2, August 2007, Pages 323-338

[Search History](#)

[Results list](#)

[Previous](#)

29 of 57

[Next](#)

[Search](#) [Sources](#) [My Alerts](#) [My List](#) [My Profile](#)

 [Help](#)  [Scopus Labs](#)

[About Scopus](#) | [Contact us](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2008 [Elsevier B.V.](#) All rights reserved. Scopus® is a registered trademark of Elsevier B.V.